



## Produkte

### Nahtlose Hydraulikrohre/Instrumentenrohre

ASTM A213-AW / ASTM A269 / DIN 17458, test class II

Tolerances ISO 1127 D4/T3



IC test ASTM A262 practice "E", eddy current test, PMI 100% material identity testing, hardness test NACE MR0175, dimensional check, visual examination

Test certificates: EN 10.204/3.1B, AD 2000, PED 97/23/EC, NACE MR0175

Executions: bright annealed & outside brushed, annealed & pickled

Packaging: end caps, wooden boxes – container shipment

Grades:

304 / 304L - 14301 / 14307

316 / 316L - 14401 / 14404

316ti - 14571

321 - 14541



## Nahtlose Hydraulikrohre/Instrumentenrohre

OD / WALL	0,5	0,7	0,8	0,9	1,0	1,5	1,6	2,0	2,3	2,5	2,6	3,0	3,2	3,5
4,00		x	x											
5,00		x	x	x										
6,00	x	x	x	x	x	x	x							
8,00	x	x	x	x	x	x	x	x	x					
9,00	x	x	x	x	x	x	x	x	x					
10,00	x	x	x	x	x	x	x	x	x	x	x	x	x	x
10,20	x	x	x	x	x	x	x	x	x	x	x	x	x	x
11,00	x	x	x	x	x	x	x	x	x	x	x	x	x	x
12,00	x	x	x	x	x	x	x	x	x	x	x	x	x	x
13,00		x	x	x	x	x	x	x	x	x	x	x	x	x
13,50		x	x	x	x	x	x	x	x	x	x	x	x	x
14,00		x	x	x	x	x	x	x	x	x	x	x	x	x
15,00		x	x	x	x	x	x	x	x	x	x	x	x	x
16,00		x	x	x	x	x	x	x	x	x	x	x	x	x
17,00		x	x	x	x	x	x	x	x	x	x	x	x	x
17,20	x	x	x	x	x	x	x	x	x	x	x	x	x	x
18,00	x	x	x	x	x	x	x	x	x	x	x	x	x	x
20,00	x	x	x	x	x	x	x	x	x	x	x	x	x	x
21,30						x	x	x	x	x	x	x	x	x
22,00					x	x	x	x	x	x	x	x	x	x
23,00					x	x	x	x	x	x	x	x	x	x

Larger sizes as well as other sizes not mentioned available on request.

